

Best Available Copy

XP-002168117

AN - 1995-167236 [22]

AP - JP19930287570 19931022 JP19930287570 19931022; [Previous Publ. J07089954]

CPY - KANE

DC - E13 G06 L03 P83 T03 W04

FS - CPI;GMPI;EPI

IC - C07D333/54 ; C07D333/62 ; C09K9/02 ; G03C1/73 ; G03C5/08 ; G03C5/56 ; G11B7/24

MC - E06-B01 E26-B G06-C06 G06-D07 G06-F05 G06-G18 L03-G04B
- T03-B01B1 T03-B01D8 W04-C01B

M3 - [01] D013 D019 D022 D023 D024 D025 D029 D300 D399 F010 F012 F013 F014
F015 F019 F020 F021 F029 F211 G010 G013 G019 G020 G021 G029 G037 G038
G039 G040 G111 G112 G221 G299 G542 G552 G562 G572 G582 H103 H141 H142
H143 H341 H342 H343 H541 H542 H543 H6 H601 H609 H663 H7 H721 H722 H724
L143 L199 M1 M116 M119 M122 M123 M124 M125 M126 M129 M133 M134 M139
M210 M211 M212 M213 M214 M215 M216 M220 M221 M222 M223 M224 M225 M226
M231 M232 M233 M240 M272 M273 M281 M282 M283 M312 M314 M321 M322 M332
M342 M412 M511 M512 M520 M521 M522 M523 M530 M531 M532 M541 M710 M903
M904 Q318 Q344 Q346 Q454; 9522-D7101-N

M4 - [02] D013 D019 D022 D023 D024 D025 D029 D300 D399 F010 F012 F013 F014
F015 F019 F020 F021 F029 F211 G010 G013 G019 G020 G021 G029 G037 G038
G039 G040 G111 G112 G221 G299 G542 G552 G562 G572 G582 H103 H141 H142
H143 H341 H342 H343 H541 H542 H543 H6 H601 H609 H663 H7 H721 H722 H724
L143 L199 M1 M116 M119 M122 M123 M124 M125 M126 M129 M133 M134 M139
M210 M211 M212 M213 M214 M215 M216 M220 M221 M222 M223 M224 M225 M226
M231 M232 M233 M240 M272 M273 M281 M282 M283 M312 M314 M321 M322 M332
M342 M412 M511 M512 M520 M521 M522 M523 M530 M531 M532 M541 M710 M903
M904 Q318 Q344 Q346 Q454 W003 W030; 9522-D7101-N

PA - (KANE) KANEBO LTD

PN - JP7089954 A 19950404 DW199522 C07D333/54 025pp

- JP2711212B2 B2 19980210 DW199811 C07D333/54 026pp

PR - JP19930208926 19930730; JP19920350956 19921204

XA - C1995-077455

XIC - C07D-333/54 ; C07D-333/62 ; C09K-009/02 ; G03C-001/73 ; G03C-005/08 ;
G03C-005/56 ; G11B-007/24

XP - N1995-131395

AB - J07089954 Diarylethene type cpd. having the conjugated double bond of
formula (I) is new. n = 2-5; A = a gp. of formula (II). I = 1 or 2; R1
= alkyl; R2 = H, alkyl, dialkylamino, CN, nitro or alkoxy; P =
aromatic gp. or heterocyclic gp.; B = a gp. of formula (III) or
formula (IV). m = 1 or 2; R5, R6 = alkyl; Q = aromatic gp. or
heterocyclic gp.; o = 1 or 2; R7 = alkyl; R8-R10 = H, alkyl,
dialkylamino, CN, nitro or alkoxy; and T = aromatic gp. or
heterocyclic gp. Also claimed is an optical record and playback
process of optical record medium using an optical record medium whose
recording material is made of cpd. (I), recording information by
initiation by irradiating an ultraviolet ray to change to a coloured
state and then irradiating visible rays to change into a colourless
state and effecting the playback of the recorded information by
irradiating visible rays while adjusting the temp. of the optical
recording medium at the playback less than or equal the temp. which is

40deg.C below the temp. of the optical recording medium at the recording.

- USE - Cpd. (1) is useful as a reversible optical recording material.
- ADVANTAGE - It has excellent thermal stability, colour-decolouring repeat resistance and semiconductor laser sensitivity.
- (Dwg.0/0)

CN - 9522-D7101-N

IW - DI ARYL ETHYLENE COMPOUND CONJUGATE DOUBLE BOND REVERSE OPTICAL RECORD MATERIAL

IKW - DI ARYL ETHYLENE COMPOUND CONJUGATE DOUBLE BOND REVERSE OPTICAL RECORD MATERIAL

NC - 001

OPD - 1992-12-04

ORD - 1995-04-04

PAW - (KANE) KANEBO LTD

TI - Di:aryl ethene cpd having conjugated double bond - used as reversible optical recording material